





# TrueForce LED Industrial and Retail (Highbay – MH)

# TrueForce LED HPI UN 140W E40 840 WB

Philips LED Highbay lamps give you a quick and easy payback solution to replace HID alternatives in high-bay applications. TrueForce LED solutions give you the LED benefits of energy-efficiency and a long lifetime for a low initial investment. The design enables the direct retrofit of HID lamps with TrueForce LED lamps without changing the fixtures or gear. In fact, the lamp is compatible with both 250W and 400W gears to maximize the feasibility of such retrofits. Ignitor smart logic eliminates ignitor failure and continued ignition, which may generate overheat and EMI risks. Multiple beam angle options and a high color rendering index enhance the lighting distribution in medium and high-bay applications, while creating a comfortable, safe and highly-productive environment.

### Warnings and Safety

• Installation should always be performed by a qualified electrician or installer. Use the installation guide for instructions.

# **Product data**

General Information		
Cap-Base	E40 [ E40]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	50000 h	
Switching Cycle	50000X	
Technical Type	140-400W	
Flux measurement reference	Wide Cone	

Light Technical	
Color Code	840 [ CCT of 4000K]
Beam Angle (Nom)	120 °
Luminous Flux (Nom)	20000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	142.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80


Datasheet, 2022, January 11 data subject to change

# TrueForce LED Industrial and Retail (Highbay - MH)

LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 Hz
Power (Nom)	140 W
Lamp Current (Nom)	700 mA
Wattage Equivalent	400 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	1s
Power Factor (Nom)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	84 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	Others

Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	140 kWh
EPREL Registration Number	403627
Product Data	
Full product code	871869975373300
Order product name	TrueForce LED HPI UN 140W E40 840 WB
Order product name	
EAN/UPC - Product	8718699753733
	8718699753733 929002351002
EAN/UPC - Product	
EAN/UPC - Product Order code	929002351002
EAN/UPC - Product Order code Numerator - Quantity Per Pack	929002351002 1
EAN/UPC - Product  Order code  Numerator - Quantity Per Pack  Numerator - Packs per outer box	929002351002 1 3


# Dimensional drawing




TForce HB UNI ND 200-143W E40 840 WB

#### Product c TrueForce LED HPI UN 140W E40 840 WB 250 mm 290 mm

## Photometric data




LEDTForce HPI 140W Others E40 840 120D



LEDTForce HPI 140W Others E40 840 1


# TrueForce LED Industrial and Retail (Highbay - MH)


# Photometric data



LEDTForce HPI 140W Others E40 120D

# Lifetime





50K 50K



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.