



Classic filament LEDbulbs

LED cla 120W G120 E27 WW FR ND RFSRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	13-120W
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	2000 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	153.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz


Power (Nom)	13 W
Lamp Current (Nom)	120 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	G120 [G 120mm]
Approval and Application	
Energy Efficiency Class	D

Classic filament LEDbulbs

Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	374860
Product Data	
Full product code	871869976481400
Order product name	LED cla 120W G120 E27 WW FR ND RFSRT4
EAN/UPC - Product	8718699764814

Order code	929002372101
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002372101
Net Weight (Piece)	0.100 kg


Dimensional drawing




G120 220-240V120W 2000lm 2700K E27 ND FR

Product	D	C
LED cla 120W G120 E27 WW FR ND RFSRT4	124 mm	177 mm


Photometric data



LEDbulb CLA 13W G120 E27 827 FR



LEDbulb 13W A67 E27 827 CL




LEDbulb CLA G120 13W E27 827 FR

Classic filament LEDbulbs

Lifetime



15K LED



15K LMP

