



# CorePro LEDcapsule MV

## CorePro LEDcapsule ND 4.8-60W G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

### Product data

General Information	
Cap-Base	G9 [ G9]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4.8-60W
Light Technical	
Color Code	830 [ CCT of 3000K]
Luminous Flux (Nom)	570 lm
Luminous Flux (Rated) (Nom)	570 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	118.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	4.8 W


Lamp Current (Nom)	44 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	99 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label (EEL)	A++
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869965818200

CorePro LEDcapsule MV

Order product name	CorePro LEDcapsule ND 4.8-60W G9 830
EAN/UPC - Product	8718699658182
Order code	929002059802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12

Material Nr. (12NC)	929002059802
Net Weight (Piece)	0.012 kg


Dimensional drawing




G9 230V 5W-55W 600lm 36D 3000K GU9 ND

Product	D	C
CorePro LEDcapsule ND 4.8-60W G9 830	19 mm	60 mm


Photometric data



LEDcapsule ND 4.8-60W G9 830



LEDcapsule ND 4.8-60W G9 830



LEDcapsule ND 4.8-60W G9

Lifetime



LEDcapsule ND 4.8-60W G9



LEDcapsule ND 4.8-60W G9

