

# PRODUCT DATASHEET

## DL SLIM FRAME SQ 155 WT

DOWNLIGHT SLIM SQUARE | Flat downlights with integrated driver, square shape



---

### AREAS OF APPLICATION

- Direct replacement for luminaires with compact fluorescent lamps
- General illumination
- Public areas
- Stairways
- Corridors
- Foyers
- Shops

---

### PRODUCT BENEFITS

- Very slim housing
- Low installation depth
- High luminous efficacy
- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- Very homogenous light
- Functional design
- Easy installation with fast connection
- Simple installation thanks to integrated driver

---


### PRODUCT FEATURES

- Small visible bezel
- Connector box with push wire terminal for tool-free connection
- Light guide made of non-yellowing PMMA for long lifetime



**TECHNICAL DATA**

Dimensions & weight



<b>Length</b>	170.0 mm
<b>Width</b>	170.0 mm
<b>Height</b>	38.0 mm
<b>Product weight</b>	68.00 g

Colors & materials

<b>Product color</b>	White
----------------------	-------

Additional product data

<b>Mounting location</b>	Ceiling / Wall
--------------------------	----------------

Certificates & standards

<b>Type of protection</b>	/
---------------------------	---

**EQUIPMENT / ACCESSORIES**

- Surface mounting frames available as accessories

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075079410	Folding carton box 1	43 mm x 180 mm x 180 mm	119.00 g	1.39 dm <sup>3</sup>
4058075079427	Shipping carton box 6	280 mm x 190 mm x 200 mm	902.00 g	10.64 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## REFERENCES / LINKS

For Guarantee see

▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.