

# PRODUCT DATASHEET

## SMART + WIFI PLANON 1200X300

**SMART+ TUNABLE WHITE | Frameless panel luminaires with WiFi technology**

---

### AREAS OF APPLICATION

- Indoor applications
- Kitchens, living rooms, children's rooms or home offices



---

### PRODUCT BENEFITS

- Easy and quick installation

---

### PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Dimmable
- Controllable via voice control available: Google Assistant or Amazon Alexa
- Adjustable color temperature via Tunable White: 3,000...6,500 K
- Network protocol: WiFi



## TECHNICAL DATA

## Electrical data

<b>Nominal wattage</b>	40.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz
<b>Operating mode</b>	Mains voltage

## Photometrical data

<b>Color temperature</b>	3000...6500 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Tunable White
<b>Luminous efficacy</b>	85 lm/W
<b>Luminous flux</b>	3400 lm

## Light technical data

<b>Beam angle</b>	110 ° <sup>1)</sup>
-------------------	---------------------

1) ZMP\_110132

## Dimensions &amp; weight



<b>Product weight</b>	4200.00 g
<b>Length</b>	1200 mm
<b>Width</b>	300.0 mm
<b>Height</b>	69.0 mm

## Colors &amp; materials

<b>Product color</b>	White
<b>Body material</b>	Aluminum
<b>Cover material</b>	Polymethylmethacrylate (PMMA)
<b>Light emitting surface material</b>	PMMA
<b>Housing color</b>	White

## Temperatures &amp; operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

## Lifespan

Number of switching cycles	15000
----------------------------	-------

## Additional product data

Product remark	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.
Mounting location	Ceiling
Mounting type	Surface

## Capabilities

Dimmable	Yes
Type of connection	Terminal, 2-Pole (L, N)
Compatible smart home technology	Google Assistant / Amazon Alexa

## Certificates &amp; standards

Standards	CE/EAC/REACH/RoHS
Protection class	II
Type of protection	IP20

## EQUIPMENT / ACCESSORIES

- Mounting bracket included
- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075484498	Folding carton box 1	1237 mm x 335 mm x 95 mm	4669.00 g	39.37 dm <sup>3</sup>
4058075484504	Shipping carton box 3	1250 mm x 302 mm x 367 mm	15656.00 g	138.54 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.