

DYNAMIC JUGBETA



BAG OF 10 CHIN STRAPS FOR ONYX & DIAMOND VI HELMETS

Model JUGBEDYN



Product specifications

Bag of 10 chin straps. 4 fixing points for work at height. Safety-breaking system. Suitable for ONYX and DIAMOND VI safety helmets.

This accessory complies with point 5.1.4 (Chin strap anchorages) of EN397.

COLOUR

Black

SIZE

Adjustable

Certifications and Standards



REGULATION (EU) 2016/425

EN397:2012 + A1:2012 Protective helmets for industry

MM: Molten metal spray

LD: Lateral deformation

-20°C +50°C: Use : Very low temperature - -20°C / +50°C

440VAC: Electric insulation



EN50365:2002 Electrically insulating helmets for use on low voltage installations

CLASS 0: Electrically insulating helmets - Class 0

EN166:2001 Personal eye-protection - Specifications

1 AT 8-1-0 9 KN: Oculars

3 8-1 9 AT: Frame

EN170:2002 Ultraviolet filters

2C-1.2: echelon



GS-ET 29:2011-05 Additional requirements electric arc protection.

8-1-0: Oculars

CLASS 1:

CLASS 0: Light transmittance class = Class 1 : ($50\% \leq VLT(D65) < 75\%$) / Class 0 : ($VLT(D65) \geq 75\%$).

8-1: Frame

USA STANDARDS



ANSI-ISEA Z89.1:2014 American National Standards Institute- Industrial Head protection - Hard Hat Types and Class Standards

CLASS E Class E: Electrical protection class => Class E: Electrical (proof-tested at 20.000V)

TYPE I Type 1: Type of impact protection : TYPE #: Impact top of the head + Flammability + Penetration

53-63 cm: Sizes / Dimensions



ANSI-ISEA Z87.1:2015 American National Standards Institute - Occupational and Educational Personal Eye and Face Protection Devices

Z87+ U6 D3: Performances

Item details

Item details	Bar code	COLOUR	SIZE
JUGBEDYN	3295249235451	Black	Adjustable