

VENICUT36GR



SOFTNOCUT KNITTED GLOVE - NITRILE-COATED PALM - GAUGE 18 Model VECUT36GR10





Product specifications

SOFTnocut high performance fibre. Nitrile coating on palm and fingertips. Gauge 18.

Support: SOFTnocut fibre.

Coating: nitrile.

COLOUR

Grey

SIZE

10



| Product Features and Benefits | | | | |
|-------------------------------|---|---|--|--|
| | | | | |
| | | | | |
| Ø | | | | |
| (m) | Gauge 18 | Very good dexterity and work finesse (Thin gauge of the market) | | |
| | Its design with an 18 gauge cut protection thread makes this model one of the thinnest gloves in the field of cut protection. | | | |
| B | Cut level B | | | |



Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 3: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

| Item details | | | | | |
|--------------|----------|--------|------|--|--|
| Item details | Bar code | COLOUR | SIZE | | |
| VECUT36GR10 | 00 | Grey | 10 | | |