

## VENICUTD 01



KNITTED HEATNOCUT GLOVE - NITRILE FOAM COATED PALM - GAUGE 13

Model VECUTD01GJ08



### Product specifications

HEATnucut high performance fibre. Foam nitrile coating on palm and fingertips. Gauge 13.

Support: HEATnucut high performance fibres.

Coating: nitrile foam.

#### COLOUR

Yellow-Grey-Black

#### SIZE

08

## Product Features and Benefits



Nitrile foam coating

Excellent resistance to abrasion  
Rough finish for excellent grip on handled objects



HEATnocut high performance fibre

Contact heat (100°C for 15 seconds), and cut  
resistant  
Very good level of abrasion resistance



Cut level D

## Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

5: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat (X = Unrealized test)

X: Flame spread resistance.

1: Contact heat resistance (from 1 to 4)

X: Convective heat resistance (1 to 4)

X: Radiant heat resistance (from 1 to 4)

X: Small splashes of molten metal (from 1 to 4)

X: Large quantities of molten metal (from 1 to 4)



## USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

## Item details

Item details	Bar code	COLOUR	SIZE
VECUTD01GJ08	3295249235680	Yellow-Grey-Black	08