

VENICUTD01



KNITTED HEATNOCUT GLOVE - NITRILE FOAM COATED PALM - GAUGE 13 Model VECUTD01GJ10





Product specifications

HEATnocut high performance fibre. Foam nitrile coating on palm and fingertips. Gauge 13.

Support: HEATnocut high performance fibres. Coating: nitrile foam.

COLOUR

Yellow-Grey-Black

SIZE

10



Product Features and Benefits



Nitrile foam coating

Excellent resistance to abrasion Rough finish for excellent grip on handled objects



HEATnocut high performance fibre

Contact heat (100°C for 15 seconds), and cut resistant Very good level of abrasion resistance



Cut level D



Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

5: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 4: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat (X = Unrealized test)



- X: Flame spread resistance.
 1: Contact heat resistance (from 1 to 4)
- X: Convective heat resistance (1 to 4)
- X: Radiant heat resistance (from 1 to 4)
- X: Small splashes of molten metal (from 1 to 4)
- X: Large quantities of molten metal (from 1 to 4)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

Item details			
Item details	Bar code	COLOUR	SIZE
VECUTD01GJ10	3295249235703	Yellow-Grey-Black	10