

VENICUTDX0 (VENICUT50)



HEATNOCUT KNITTED GLOVE - COWHIDE LEATHER PALM - GAUGE 10 Model VECUTDX0GJ09





Product specifications

HEATnocut high performance fibre. Cowhide leather on palm and fingertips. Gauge 10.

Support: HEATnocut high performance fibres. Split cowhide.

COLOUR

Yellow-Grey

SIZE

09



Product Features and Benefits					
250°C					
	HEATnocut high performance fibre	Contact heat and cut resistance (250°C for 15 seconds) Very good level of abrasion resistance			
	Split leather	Reinforced abrasion resistance Suitable for heavy work			
120	Cut level D				



Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

4: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 4: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat (X = Unrealized test)



- X: Flame spread resistance.2: Contact heat resistance (from 1 to 4)
- X: Convective heat resistance (1 to 4)
- X: Radiant heat resistance (from 1 to 4)
- X: Small splashes of molten metal (from 1 to 4)
- X: Large quantities of molten metal (from 1 to 4)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

Item details						
Item details	Bar code	COLOUR	SIZE			
VECUTDX0GJ09	3295249157289	Yellow-Grey	09			