

EOS NOCUT VV910



HIGH PERFORMANCE POLYETHYLENE KNITTED GLOVE - DOUBLE NITRILE-COATING PALM

Model VV910JA10



Product specifications

High performance polyethylene support. Thermoplastic (TPR) reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm. Kevlar® thread on all the seams.

Support: High performance polyethylene fibres.

Coating: nitrile.

Back reinforcement: TPR.

Reinforcement on thumb/forefinger: PVC.

COLOUR

Yellow-Grey-Black

SIZE

10

Product Features and Benefits

0%
SILICONE
DMF



Double nitrile coating for oily work

1st smooth nitrile coating : impermeable to oils
2nd nitrile foam coating : good adhesion



Flexible reinforcements

Increased protection from impacts and pinches



Reinforcement between the thumb and index finger and on the palm

Increased protection



Protection against impact in the metacarpal area. After an energy impact of 5J, the force transmitted to the back of the hand cannot exceed 4 kN



Available only with header card

Increased lifespan

Kevlar® thread stitching

Increased lifespan

8 cm cuff with Velcro closure

Perfect adjustment
Reduced discomfort at the wrist, during prolonged use



Safe, qualitative and very comfortable; the EOS NOCUT is surely one of the gloves with the most interest on the market!



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 4: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)
- P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)

EN13594:2002 4.1.3/6.8.2. Impact energy attenuation

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

- A4: Resistance to cutting by sharp objects (from A1 to A9)



ANSI-ISEA 138:2019 Performance and Classification for Impact-Resistant Gloves.

- 1: Impact resistance (from 1 to 3)

Item details

Item details	Bar code	COLOUR	SIZE
VV910JA10	3295249191566	Yellow-Grey-Black	10