

## NITREX VE803



NITRILE GLOVE - LENGTH 33 CM

Model VE803VE10



### Product specifications

Nitrile on interlock cotton lining. Length: 33 cm. Thickness: 0,85 mm.

Support: 100% interlock cotton.

Coating: 100% nitrile.

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (K : Sodium hydroxyde 40% (NaOH) = 6, L: sulphuric acid (96%) =3, J : n-Heptane = 6).

#### COLOUR

Green

#### SIZE

10/11

### Product Use - Risks



Biological



Wearing



Particules

CHEM D-FINDER



Product Features and Benefits



0%  
SILICONE  
LATEX



Cut cotton interlock stitched

Absorption of perspiration and moisture for improved comfort in everyday life



Textured structure

Good grip of handled objects

Maximum abrasion performance

Increased lifespan

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements  
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)  
4: Resistance to abrasion (from 1 to 4)  
0: Resistance to cutting (from 1 to 5)  
1: Resistance to tear (from 1 to 4)  
1: Resistance to puncture (1 to 4)  
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.



- A 2 > 30 mn: Méthanol (A) CAS 67-56-1
- J 6 > 480 mn: n-Heptane (J) CAS 142-85-5
- K 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2
- L 3 > 60 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9
- M 2 > 30 mn: Nitric acid 65% (M) CAS 7697-37-2
- N 3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
- O 4 > 120 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6
- P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



Item details

Item details	Bar code	COLOUR	SIZE
VE803VE10	3295249187705	Green	10/11