

## CHEMSAFE PLUS WINTER VV837



GLOVE IN PVC/NITRILE ON ACRYLIC LINING - PVC/NITRILE COATING HAND - 30 CM

Model VV837BL11



### Product specifications

Double PVC/nitrile coating on acrylic lining gauge 10. Third rough PVC/nitrile coating on hand. Length: 30 cm. Thickness: 1.15 mm on cuff - 1.35 mm on palm.

Support: 100% acrylic.  
Coating: PVC/ nitrile.

#### COLOUR

Blue

#### SIZE

11

Product Use - Risks



Cold



Biological



Weather



Particules

**CHEM D-FINDER**



Product Features and Benefits



0%  
SILICONE  
LATEX DMF



Rough structure hand

Very good grip



Brushed acrylic support

Maintaining heat for good thermal protection  
High comfort

Triple PVC/ nitrile coating

Good resistance to abrasion

Light and flexible

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 3: Resistance to abrasion (from 1 to 4)
- 1: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 1: Resistance to puncture (1 to 4)
- A: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.



TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

- K 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2
- L 4 > 120 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9
- M 2 > 40 mn: Nitric acid 65% (M) CAS 7697-37-2
- N 2 > 45 min: Acetic acid 99% (N) CAS 64-19-7
- P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 min: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5: 2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks: VIRUS. BACTERIA .. BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019. + FUNGI



EN511:2006 Protective gloves against cold (X = Unrealized test)



- 1: Resistance to convective cold (from 1 to 4)
- 1: Resistance to contact cold (from 1 to 4)
- 1: Waterproof (0 or 1)

Item details

Item details	Bar code	COLOUR	SIZE
VV837BL11	3295249219499	Blue	11