

NEOCOLOR VE530



NEOPRENE LATEX GLOVE 30CM

Model VE530BM06



Product specifications

Latex/Neoprene mix with cotton flocklining. Length: 30 cm. Thickness: 0,70 mm.

Support: 100% neoprene latex.

Flocking: 100% cotton.

COLOUR

Black

SIZE

6/7

Product Use - Risks



Biological



Wearing



Particules

CHEM D-FINDER



Product Features and Benefits



Neoprene/Latex blend

Comfort and flexibility for heavy work

Flocked inside

Absorption of perspiration for comfort

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)
2: Resistance to abrasion (from 1 to 4)
1: Resistance to cutting (from 1 to 5)
2: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015,
.: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

- J 2 > 30 mn: n-Heptane (J) CAS 142-85-5
- K 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2
- L 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9
- N 3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
- P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5: 2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks: VIRUS.

BACTERIA + FUNGI :. BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.
.: VIRUSES : Determination of resistance to penetration by bloodborne pathogens according to ISO 16604.



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration
.: Contact with wet or watery food
.: Contact with acidic foods

Item details

Item details	Bar code	COLOUR	SIZE
VE530BM06	3295249009656	Black	6/7