

EOS VV900JA



GLOVE WITH PU/POLYAMIDE PALM + DOTS - POLYESTER/PU BACK - BACK REINFORCEMENTS

Model VV900JA11



Product specifications

Polyester/polyurethane back. PVC reinforcements. Polyamide/polyurethane palm with PVC dots. Kevlar® seams. 8 cm cuff in neoprene.

Palm: Polyamide/polyurethane microfibre.

Dots: PVC.

Back: Polyester/polyurethane knit.

Back reinforcement: PVC.

Wrist: Neoprene.

COLOUR

Yellow-Grey-Black

SIZE

11

Product Features and Benefits



Double layer of polyamide/ polyurethane on palm with non-slip PVC dots

Longer life due to its very good abrasion resistance
Good grip of handled objects



Flexible reinforcements

Increased protection from impacts and pinches



Reinforcement between the thumb and index finger and on the palm.

Increased lifespan



Identification badge
Belt attachment



Available only with header card

Protection of the metacarpal area against low energy shocks <2J

8 cm cuff in neoprene

Good glove retention for high security

Velcro closure

Perfect adjustment
Reduced discomfort at the wrist, during prolonged use

Yellow colour

Easy visual identification at the workstation



Cut level B

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 3: Resistance to abrasion (from 1 to 4)
- 2: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)
- P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

Item details

Item details	Bar code	COLOUR	SIZE
VV900JA11	3295249174088	Yellow-Grey-Black	11