

## CRYOG



WATER-REPELLENT CRYOGENIC LEATHER GLOVE

Model CRYOG10



### Product specifications

Water-repellent cowhide full grain leather. Aluminized polyester insert. Cowhide split leather cuff. Hand and cuff in synthetic. American assembly. 20 cm cuff. Length: 40 cm.

Full grain water-repellent cowhide leather (TECHNICUIR).

Thickness of between 1.1 and 1.3 mm.

Insert aluminised polyester.

Synthetic lining.

Split cowhide leather cuff.

Kevlar® sewn.

#### COLOUR

Grey-Beige

#### SIZE

10

## Product Features and Benefits



Water repellent leather

Good splash protection



Velcro tape

Adjustable fit



Aluminised polyester

Thermal protection



Tested with liquid nitrogen using method  
MR019

Work in all safety up to -196°C (a few  
seconds)

Superior quality

Increased lifespan  
Comfortable to wear  
Flexibility

## Certifications and Standards



REGULATION (EU) 2016/425

**EN420:2003+A1:2009 General requirements**

- 2: Dexterity (from 1 to 5)
- 4/4 >180 mn: Waterproofing : Ability of the glove to withstand the penetration of water, moisture.

**EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)**



- 2: Resistance to abrasion (from 1 to 4)
- 2: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



**EN511:2006 Protective gloves against cold (X = Unrealized test)**

- 2: Resistance to convective cold (from 1 to 4)
- 3: Resistance to contact cold (from 1 to 4)
- X: Waterproof (0 or 1)

**EN420:2003+A1:2009 4.2 Glove - Resistance to water penetration**

4/4 ≥ 180 mn: Level of performance - Time of penetration

## Item details

Item details	Bar code	COLOUR	SIZE
CRYOG10	3295249026844	Grey-Beige	10