

DT223



DELTA TEK 6000 DISPOSABLE OVERALLS WITH HOOD - 5 TYPE - 6 TYPE - FLAME RETARDANT

Model DT223XX



Product specifications

Overall with three-sided elasticated hood. 5/6 type. Non-woven SMMS DELTA TEK 6000. Flame retardant material. Fastening with zip under flap. Elasticated around the head, waist, cuffs and ankles. Single-use. Individual airtight pack.

Nonwoven DELTA TEK 6000: 100% SMMS 60 g/m².

S (Polypropylene) - MM (several layers of blown molten polypropylene) - S (Polypropylene)

COLOUR

White

SIZE

XXL

Product Features and Benefits



DELTATEK® 6000

100% polypropylene SMMS*
 *Polypropylene, Melt blown polypropylene,
 Polypropylene
 The SMMS* process provides better product
 breathability



3-part hood

Supports head movement for increased
 comfort



0%
 SILICONE
 LATEX



Tested according to standard EN ISO14116

Protection against flames

DELTA Tek⁶⁰⁰⁰

DELTATEK 6000

Certifications and Standards



REGULATION (EU) 2016/425



EN ISO 13982-1:2004+A1:2010 Protective clothing for use against solid particulates - Type 5 clothing

TYPE 5: Protection against dust (asbestos) - Type 5



EN13034:2005+A1:2009 Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 equipment)

TYPE 6: Limited protection against liquid chemicals Type 6



EN1149-5:2018 Electrostatic properties - Part 5: Material performance and design requirements

<2,5 10E9: Surface resistivity inferior or equal to 2.5×10^9 Ohms on one surface at least following EN1149-1

EN ISO14116: 2015 Protective clothing - Protection against flamme

INDEX 1: Index of material resistance (from 1 to 3)

Item details

Item details	Bar code	COLOUR	SIZE
DT223XX	3295249202934	White	XXL