


CEM25.00-230V-50/60Hz



Specifications

ETI Code	004645103
Description	CEM25.00-230V-50/60Hz
Class name	Motor contactor
Rated operation current Ie at AC1 (A)	45
Rated operation current Ie at AC3, 400V (A)	25
Rated operation power at AC3 (kW)	11
No. Of poles	3
Rated operational voltage (V AC)	690
Rated control circuit voltage Uc (V AC)	230
0	

Online product page [🔗](#)

Other documentation



Technical data catalogue

3D Model

Instruction manual

CE declaration


Eplan file

ETIM international clasification

Classification	EC000066
Class name	Power contactor, AC switching
Rated control supply voltage Us at AC 50HZ	230...230V
Rated control supply voltage Us at AC 60HZ	230...230V
Rated control supply voltage Us at DC	230...230V
Voltage type for actuating	AC
Rated operation current Ie at AC-1, 400 V	45A
Rated operation current Ie at AC-3, 400 V	25A
Rated operation power at AC-3, 400 V	11kW
Modular version	
Type of electrical connection of main circuit	Frame clamp
Number of main contacts as normally open contact	3

Dimension drawing

	AC	DC
CAEM4	A=85	A=115
CEM9	A=85	A=115
CEM12	A=85	A=115
CEM18	A=85	A=115
CEM25	A=87	A=117



Wiring diagram

