

Product data sheet

Specifications



MEMBRANE GLAND PLATE 35 ENTRIES 5-32MM



LVS08896

Main

Range of product	PrismaSeT G
Range	PrismaSeT
Range compatibility	PrismaSeT (PrismaSeT G) enclosure
Product or component type	Gland plate
Accessory / separate part category	Enclosure accessory
Product compatibility	IP30 enclosure IP31 enclosure IP55 enclosure IP43 enclosure

Complementary

Enclosure/Cubicle description	Wall-mounted enclosure - width 600 mm Floor-standing enclosure - width 600 mm Wall-mounted duct - width 300 mm Floor-standing duct - width 300 mm
Type of gland plate	Membrane
Mounting location	Top Bottom
Material	Insulated material
Cable entry number	4 diameter: 7...14 mm 8 diameter: 3 mm 1 diameter: 17...30 mm 4 diameter: 3...7 mm 4 diameter: 5 mm 10 diameter: 7...12 mm 10 diameter: 7...10 mm 2 diameter: 7...18 mm
Quantity per set	Set of 1
Depth	180 mm
Net weight	0.28 kg
Colour	White (RAL 9003)

Environment

IP degree of protection	IP55
-------------------------	------

Packing Units


Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	8.3 cm
Package 1 Length	21.7 cm
Package 1 Weight	278.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.82 kg
Unit Type of Package 3	P12
Number of Units in Package 3	240
Package 3 Height	43.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	81.0 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
PVC free	Yes

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.

Recommended replacement(s)