

DELTA PLUS GROUP declares that this product complies with the following regulations :

Identification of the PPE object of the declaration :

ONYX2 - ONYX2

Designation :

DUAL-SHELL SAFETY HELMET WITH RETRACTABLE VISOR

Colour :

White, Fluorescent yellow

Size :

Adjustable



Specifications :

ABS dual shell safety helmet with PC retractable visor. Sport and dynamic design. 3 textile straps with 6 fixing points. The harness consists of a foam disc and a pad at the back to ensure better comfort when wearing the helmet. Foam sweat band. Adjustable: head size 53 to 64 cm with One-D Rotor clamping system. 2 possible positions of the headband (top/low) for a better comfort. Retro-reflective stickers. Electrical insulation up to 1 000 V.A.C. or 1 500 V.D.C, protection against arc fault Class 1 (GS-ET 29). Visor with anti-Fog N and anti-scratch K treatments and protection against electrical arcs, molten metals and hot liquids projections.

The PPE is also identifiable by the following means :

- The product picture
- Each PPE wears the name indicated on this declaration of conformity.
- Each PPE wears the bar code indicated in the annex to this declaration of conformity
- Each PPE wears a batch number. For any further information, just give it to us. Our organization, based on this batch number, allows us to ensure the traceability of the PPE.

Performances :

The product complies with the requirements of the regulation in force and with standards :

EU DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration identified above is in conformity with the relevant Union harmonisation legislation: Regulation (EU) 2016/425, with its requirements and with the harmonised standards:



REGULATION (EU) 2016/425

EN397:2012 + A1:2012 Protective helmets for industry

MM: Molten metal spray

LD: Lateral deformation

-20°C +50°C: Use : Very low temperature - -20°C / +50°C

440VAC: Electric insulation



EN50365:2002 Electrically insulating helmets for use on low voltage installations
0: Electrically insulating helmets - Class 0

EN166:2001 Personal eye-protection - Specifications
1 AT 8-1-0 9 KN: Oculars
3 8-1 9 AT: Frame

EN170:2002 Ultraviolet filters
2C-1.2: echelon



GS-ET 29:2011-05 Additional requirements electric arc protection.
8-1-0: Oculars
1: Class
0: Light transmittance class = Class 1 : (50% ≤ VLT(D65) < 75%) / Class 0 : (VLT(D65) ≥ 75%).
8-1: Frame

Category III : PPE for risks that may cause very serious consequences such as death or irreversible damage to health (annex I, Regulation (EU) 2016/425).

2008 - DOLOMITICERT S.C.A.R.L. (Z.IND. VILLANOVA N°7/A 32013 LONGARONE (BL) ITALY) :
Notified body which performed the EU Type- examination (module B) and issued EU type-examination certificate: EC 22 0208
0161 - AITEX (PLAZA EMILIO SALA, 1 03801 ALCOY ESPAÑA) :
Notified body which performed the EU Type- examination (module B) and issued EU type-examination certificate: 18 0908 00 0161

The PPE is subject to the conformity assessment procedure to type based on quality assurance of the production process (module D) under surveillance of the notified body: 0082 - APAVE EXPLOITATION FRANCE SAS (6 RUE DU GÉNÉRAL AUDRAN 92412 COURBEVOIE CEDEX FRANCE)

USA STANDARDS



ANSI-ISEA Z89.1:2014 American National Standards Institute- Industrial Head protection -Hard Hat Types and Class Standards

Class E: Electrical protection class => Class E: Electrical (proof-tested at 20.000V)
Type 1: Type of impact protection : TYPE #: Impact top of the head + Flammability + Penetration
53-64 cm: Sizes / Dimensions



ANSI-ISEA Z87.1:2015 American National Standards Institute - Occupational and Educational Personal Eye and Face Protection Devices

Z87+ U6 D3: Performances

Apt, 22/03/2023

Signed for and on behalf of DELTA PLUS GROUP :
David GUIHO
Marketing director



ANNEX:

Item details

Item details	Bar code	COLOUR	SIZE
ONYX2BJ	3295249282509	White	Adjustable
ONYX2JA	3295249286828	Fluorescent yellow	Adjustable