

F&F Filipowski sp. j. Konstantynowska 79/81, 95-200 Pabianice, POLAND phone/fax (+48 42) 215 23 83 / (+48 42) 227 09 71 www.fif.com.pl; e-mail: biuro@fif.com.pl

TR-24

Mains transformer



Do not dispose of this device in the trash along with other waste!

According to the Law on Waste, electro coming from households free of charge and can
give any amount to up to that end point of collections, as well as to stone the occasion of
the control of t



Purpose

TR-24 is used to supply electrical and electronic devices that do not require a stable, filtered supply voltage independent of changes in the network voltage.


Functioning

TR-24 has a single, electronic thermal fuse that protects the transformer against exceeding the temperature of 115°C.

Mounting

- 1. Turn off the power.
- Connect the mains cables to the input terminals (3-4) of the transformer.
- Connect the receiver to the output terminals (9-10) of the transformer.

Wiring diagram



1

For complete protection of the receiver, it is recommended to connect an additional 1.5 A overcurrent protection (e.g. BZ-1 fuse module) on the secondary side.

Technical data

 power supply
 230 V AC

 output voltage
 24 V AC

 27.5 V AC for Io= 0

maximum load current (AC-1) 0.5 A output power 12 VA

thermal protection thermal fuse, single

terminal 2.5 mm² screw terminals (cord)

4.0 mm² screw terminals (wire) tightening torque 0.5 Nm

working temperature -10÷40°C dimensions 3 modules (52.5 mm)

weight 433 g mounting on TH-35 rail

ingress protection IP20

Warranty

The F&F products are covered by a warranty of the 24 months from the date of purchase. Effective only with proof of purchase. Contact your dealer or directly with us.

CE declaration

F&F Filipowski sp. j. declares that the device is in conformity with the essential requirements of The Low Voltage Directive (LVD) 2014/35/EU and the Electromagnetic Compatibility (EMC) Directive 2014/30/UE.

The CE Declaration of Conformity, along with the references to the standards in relation to which conformity is declared, can be found at www.fif.com.pl on the product page.

E210921 - 3 -

