SIEMENS

Data sheet

5UB1551



DELTA i-system electrical white SCHUKO socket outlet 10/16 A 250 V With screwless Connection terminals cover plate 55 x 55 mm

Model			
product brand name	DELTA		
product designation	SCHUKO socket outlet		
cover version	central plate		
design of the special power supply unit	without special current supply		
design of the socket according to VDE 0620 for severe conditions	No		
design of the phase tap	No		
General technical data			
marking of socket outlet	without imprint		
mounting type	fixing with claw and screw		
surface processing	others		
material	thermoplastic		
Supply voltage			
operating voltage rated value	250 V		
supply voltage frequency rated value	50 Hz		
Protection class			
protection class IP	IP20		
Main circuit			
operational current rated value	16 A		
Appearance			
color	electric white		
Product details			
product component			
product component • ejection equipment	No		
	No No		
ejection equipment			
ejection equipmentlabeling field	No		
ejection equipmentlabeling fieldincreased touch protection	No No		
 ejection equipment labeling field increased touch protection residual current device 	No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse 	No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting 	No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source 	No No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting 	No No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid 	No No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid 	No No No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free transparent 	No No No No No No		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free 	No No No No No No No Yes		
 ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free transparent 	No No No No No No No Yes		

 overvoltage protection 		No					
Number							
number of units	1						
number of sockets switchable		0					
Connections							
arrangement of contacts diagonal		No					
type of electrical connection	type of electrical connection			plug terminal			
Mechanical Design							
height	70 mm						
width		70 mm					
depth		45 mm					
fastening method		Unterputz					
material of the enclosure		plastic					
General Product Approval		Decla formit	ration of Con-	Test Certificates			
			CE EG-Konf.	<u>Miscellaneous</u>	<u>Type Test Certific-</u> ates/Test Report		
other	Environment						
Miscellaneous Confirm	mation <u>Environmental (</u> firmations	<u>Con-</u>					

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

- Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
- Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB1551

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5UB1551

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB1551

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications



last modified:

3/21/2023 🖸

8/7/2023