

PRODUCT-DETAILS

FH202 AC-63/0.3

FH202 AC-63/0.3 Residual Current Circuit Breaker 2P AC type 300 mA



General Information	
Extended Product Type	FH202 AC-63/0.3
Product ID	2CSF202003R3630
EAN	8012542893202
Catalog Description	FH202 AC-63/0.3 Residual Current Circuit Breaker 2P AC type 300 mA
Long Description	The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.

Eco Transparency	
Environmental Product	9AKK108467A3700
Declaration - EPD	

Technical	
Standards	IEC/EN 61008
Type of Residual Current	AC type
Rated Voltage (U _r)	230 V
Rated Operational Voltage	230 V
Rated Insulation Voltage (Ui)	500 V
Rated Impulse	4 kV

FH202 AC-63/0.3

Rated Current (In)	63 A
Rated Residual Current	300 mA
Rated Service Short- Circuit Breaking	1 kA
Capacity (I _{cs})	
Maximum Surge Current	0.25 kA
Leakage Current Type	AC
Rated Frequency (f)	50 Hz
Power Loss	at Rated Operating Conditions per Pole 3.2 W
Number of Poles	2
Operating Characteristic	Instantaneous
Mounting Type	DIN-Rail
Options Provided	None
Accessories Available	No
Rated Cross-Section	4 - Multi-Wired 1025 mm² 1 - Solid-Core 2525 mm²

Environmental	
Ambient Air	Operation -5 +40 °C
Temperature Degree of Protection	Storage -40 +70 °C IP2X
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK106713A5603
REACH Declaration	9AKK108467A9482
Environmental Information	Refer to RoHS
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Technical UL/CSA	
Short-Circuit Current	0.3 A
Rating (SCCR)	

Dimensions	
Width in Number of Modular Spacings	2
Product Net Width	35 mm
Product Net Height	69 mm
Product Net Depth / Length	85 mm
Product Net Weight	0.2 kg
Built-In Depth (t ₂)	69 mm

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.236 kg

FH202 AC-63/0.3

Certificates and Declarations

Declaration of 9AKK106713A5603 Conformity - CE

Installation

Instructions and No document needed Manuals

Popular Downloads

Data Sheet, Technical 2CSC400030D0202 Information

Classifications

ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
ETIM 9	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142201
Object Classification Code	F

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Devices\ RCDs$





