

PRODUCT-DETAILS

CS141 Basic - Slot

CS141 Basic - Slot



General Information

Extended Product Type	CS141 Basic - Slot
Product ID	4NWP102688R0001
EAN	7640169261114
Catalog Description	CS141 Basic - Slot
Long Description	CS141 BASIC SNMP SLOT CARD; includes 1 x wavemon CD and 1 x RCCMD shutdown sw licence

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	4NWD00345

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	No declaration needed

Technical

Suitable For	PowerValue 11 RT PowerValue 11/31 T
Suitable for Product Class	Single-Phase UPS

Accessory Type	SNMP/web adapter
----------------	------------------

Dimensions

Product Net Width	60 mm
Product Net Height	33 mm
Product Net Depth / Length	133 mm
Product Net Weight	0.21 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	180 mm
Package Level 1 Height	70 mm
Package Level 1 Depth / Length	240 mm
Package Level 1 Gross Weight	0.41 kg
Package Level 1 EAN	7640169261114

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85176200
E-Number (Finland)	8408605
Country of Origin	Switzerland (CH)

Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - CE	4NWD004817

Popular Downloads

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
---	-----------------

Classifications

ETIM 7	EC002850 - Accessories for UPS
ETIM 8	EC002850 - Accessories/spare parts for UPS
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85176200
eClass	V11.1 : 27040692
Object Classification Code	A

Categories

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 RT G2 IEC 230V

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 T G2 IEC 230V

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11/31 T IEC 230V

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11RT G2 TLC 230V

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11T TLC 230V

