



DELTA i-system Socket outlet cover without insert with increased touch protection carbon metallic 55x 55 mm

Model	
product brand name	DELTA
product designation	cover
design of the product	55x55 mm
cover version	others
General technical data	
marking	without imprint
surface processing	others
material	thermoplast
Protection class	
protection class IP	IP20
Suitability	
suitability for integration	miscellaneous
<ul style="list-style-type: none"> bus system pushbutton coupling 	No
Appearance	
appearance	shiny
RAL color number	Similar to RAL 7016
color	Carbon metallic
Product details	
product component	
<ul style="list-style-type: none"> replaceable lens labeling field 	No
product feature halogen-free	Yes
Mechanical Design	
fastening method	screw fixing
material of cover for switch pushbutton dimmer	plastic
Approvals Certificates	
General Product Approval	



Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UH1203>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5UH1203>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UH1203

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

3/16/2023 

