

USB connection socket Screw terminals gray

Model	
product brand name	DELTA
product designation	USB CONNECTION SOCKET SCREW-TYPE TERMINALS, GRAY
design of the product	Communication
type of composition	basic element
General technical data	
mounting type	flush mounting
surface processing	others
product feature printed marking	No
material	thermoplastic
Protection class	
protection class IP	IP20
Suitability	
suitability for use	USB
Appearance	
appearance	Matt
RAL color number	Similar to RAL 7005
color	grey
Product details	
product component	
• labeling field	No
• hinged lid	No
• strain relief	No
product feature	
• halogen-free	Yes
• transparent	No
Mechanical Design	
height	70 mm
depth	35 mm
fastening method	terminal mounting
material	metal
Approvals Certificates	
General Product Approval	other

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2022-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2022-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2022-1

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/19/2022 

