SIEMENS

Data sheet 5TG1251



DELTA i-system aluminum-metallic outlet plate, 55x 55 mm

Model	
product brand name	DELTA
product designation	Plates
design of the product	55x55 mm
cover version	others
General technical data	
marking	without imprint
surface processing	others
material	thermoplast
Protection class	
protection class IP	IP20
Suitability	
suitability for integration	miscellaneous
 bus system pushbutton coupling 	No
Appearance	
appearance	shiny
RAL color number	Similar to RAL 9006
color	aluminum metallic
Product details	
product component	
• replaceable lens	No
 labeling field 	No
product feature halogen-free	Yes
Mechanical Design	
fastening method	other
material of cover for switch pushbutton dimmer	plastic
Approvals Certificates	
General Product Approval	other

Further information

Confirmation

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

EAC

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Miscellaneous

Confirmation

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1251

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


https://support.industry.siemens.com/cs/ww/en/ps/5TG1251

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1251

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications http://www.siemens.com/specifications



3/16/2023 last modified: