## **SIEMENS**

Data sheet 5TG4830



DELTA style, titanium white HotelCard switch illuminated 68x 68 mm

Model		
product brand name		DELTA
product designation		Hotel card switch
design of the product		68x68 mm
cover version		hotel card
General technical data		
marking		without imprint
surface processing		others
material		thermoplast
Protection class		
protection class IP		IP20
Suitability		
suitability for integration		miscellaneous
<ul> <li>bus system pushbutton coupling</li> </ul>		No
Appearance		
appearance		shiny
RAL color number		Similar to RAL 9010
color		Titanium white
Product details		
product component		
<ul> <li>replaceable lens</li> </ul>		No
<ul> <li>labeling field</li> </ul>		No
product feature halogen-free		Yes
Mechanical Design		
fastening method		screw fixing
material of cover for switch pushbutton dimmer		plastic
Approvals Certificates		
General Product Approval	other	

## Further information

Confirmation

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Miscellaneous

Confirmation

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG4830

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5TG4830

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

CAx-Online-Generator

http://www.siemens.com/cax **Tender specifications** 

http://www.siemens.com/specifications

3/16/2023 last modified: