



DELTA switch device insert FM, shutter switch 10 A 250 V

Model		
product brand name	DELTA	
type of light source	Without lighting	
type of composition	basic element	
design of the actuating element	rocker/button	
General technical data		
mounting type	flush mounting	
material	others	
Supply voltage		
operating voltage rated value	250 V	
Protection class		
protection class IP	IP20	
Breaking Capacity		
switching capacity current	10 A	
Main circuit		
operational current rated value	10 A	
Appearance		
appearance	matt	
color	miscellaneous	
Product details		
product component		
• labeling field	No	
• signaling contact	No	
product feature halogen-free	Yes	
Connections		
type of electrical connection	Plug-in terminal	
Mechanical Design		
material of the enclosure	metal	
Approvals Certificates		
General Product Approval	Declaration of Conformity	Test Certificates



[Miscellaneous](#)

[Type Test Certificates/Test Report](#)

other

[Confirmation](#)

#### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2104>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2104>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TA2104](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2104)

**CAx-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

last modified:

8/1/2022 

