



DELTA fläche IP44, AP Dark gray/light gray Two-way switch, 10A 250V with window, label, glow lamp 66x 75 mm

Model			
product brand name	DELTA		
type of installation switch	rotary switch		
type of light source	Lighting with glow lamp		
type of composition	basic element with complete enclosure		
design of the actuating element	rocker/button		
General technical data			
type of switch	toggle switch		
mounting type	surface mounting		
surface processing	others		
material	others		
Supply voltage			
operating voltage rated value	250 V		
Protection class			
protection class IP	IP44		
Breaking Capacity			
switching capacity current	10 A		
Main circuit			
operational current rated value	10 A		
Appearance			
appearance	shiny		
color	grey		
Product details			
product component			
• labeling field	Yes		
• signaling contact	No		
• pushbutton switch	No		
product feature halogen-free	Yes		
Number			
number of actuating rockers	1		
Connections			
type of electrical connection	Plug-in terminal		
Mechanical Design			
height	82 mm		
depth	47 mm		
fastening method	screw mounting		
material of the enclosure	plastic		
Approvals Certificates			
General Product Approval	Test Certificates	other	Environment



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-  
firmations](#)

#### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA4726>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TA4726>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TA4726](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4726)

**CAx-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



last modified:

8/1/2022 

