

DELTA miro Frame 4-fold Authentic material wood Wood type maple Dimensions 303x 90 mm



Model	
product brand name	DELTA
product designation	Frame
design of cover frame flush design	No
General technical data	
surface processing	others
material	others
Protection class	
protection class IP	IP20
Suitability	
suitability for integration	
<ul style="list-style-type: none"> • built-in installation • device installation duct • underfloor duct box • flush mounting 	<p>No</p> <p>No</p> <p>No</p> <p>Yes</p>
Appearance	
appearance	not applicable
RAL color number	0305050
color	maple
Product details	
product component	
<ul style="list-style-type: none"> • labeling field • hinged lid 	<p>No</p> <p>No</p>
product feature	
<ul style="list-style-type: none"> • halogen-free • transparent 	<p>Yes</p> <p>No</p>
Number	
number of units	4
Mechanical Design	
height	303 mm
width	90 mm
fastening method	terminal mounting
mounting position	horizontal and vertical
material of cover frame	wood
Approvals Certificates	
General Product Approval	other

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1104-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1104-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1104-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



