## **SIEMENS**

Data sheet 5TG1112-0SB

DELTA miro Frame 2-fold Color Soft Black Dimensions 161x90 mm



Model			
product brand name	DELT	DELTA	
product designation	Frame		
Protection class			
protection class IP	IP20		
Suitability			
suitability for integration			
<ul> <li>device installation duct</li> </ul>	No		
<ul> <li>underfloor duct box</li> </ul>	No		
• flush mounting	Yes		
Appearance			
appearance	mat		
color	soft black		
Product details			
product component			
labeling field	No		
hinged lid	No		
product feature			
• halogen-free	Yes		
transparent	No		
Number			
number of units	2	2	
Mechanical Design			
height	161 m	161 mm	
width	90 mm		
fastening method	termir	terminal mounting	
mounting position	horizontal and vertical		
Approvals Certificates			
General Product Approval		other	

( (

Confirmation

EAC

Confirmation

**Miscellaneous** 

## Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1112-0SB
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5TG1112-0SB
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=5TG1112-0SB
CAx-Online-Generator
http://www.siemens.com/cax

last modified: 9/13/2023 🖸

**Tender specifications** 

http://www.siemens.com/specifications