



DELTA miro Frame 5-fold Dimensions 90x 90 mm electrical white

Model	
product brand name	DELTA
product designation	Frame
design of cover frame flush design	No
General technical data	
surface processing	others
material	thermoplastic
Protection class	
protection class IP	IP20
Suitability	
suitability for integration	
• underfloor duct box	No
• flush mounting	Yes
Appearance	
appearance	shiny
RAL color number	1013
color	Electrical white
Product details	
product component	
• labeling field	No
• hinged lid	No
product feature	
• halogen-free	Yes
• transparent	No
Number	
number of units	5
Mechanical Design	
height	374 mm
width	90 mm
fastening method	terminal mounting
mounting position	horizontal and vertical
material of cover frame	plastic
Approvals Certificates	
General Product Approval	other



[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1115-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1115-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1115-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

9/13/2023 

