SIEMENS

Data sheet 5UB1315



DELTA profil, titanium white Socket outlet 10/16A 250 V with grounding pin with increased touch protection 2-pole according to CEE7, with Cage clamp terminals Cover plate $65x\ 65\ mm$

Model			
product brand name	DELTA		
product designation	Socket outlet		
design of the product	protective ground contact pin		
cover version	central plate		
design of the special power supply unit	without special current supply		
design of the socket according to VDE 0620 for severe conditions	No		
design of the phase tap	No		
General technical data			
marking of socket outlet	without imprint		
mounting type	fixing with claw and screw		
surface processing	others		
material	thermoplastic		
Supply voltage			
operating voltage rated value	250 V		
supply voltage frequency rated value	50 Hz		
Protection class			
protection class IP	IP20		
Main circuit			
operational current rated value	16 A		
Appearance			
color	titanium white		
Product details			
product component			
ejection equipment	No		
labeling field	No		
 increased touch protection 	Yes		
residual current device	No		
miniature fuse	No		
integrated functional lighting	No		
integrated light source	No		
 integrated orientation lighting 	No		
hinged lid	No		
product feature			
• lockable	No		
halogen-free			
	Yes		
• transparent			
• transparent Product function	Yes		

 socket selectable 	No			
overvoltage protection	No			
Number				
number of units	1			
number of sockets switchable	0			
Connections				
arrangement of contacts diagonal	No			
type of electrical connection	plug terminal			
Mechanical Design				
height	70 mm			
width	70 mm			
depth	45 mm			
fastening method	Unterputz			
material of the enclosure	plastic			
Environmental footprint				
Environmental Product Declaration(EPD)	Yes			
Global Warming Potential [CO2 eq] total	4.77 kg			
Global Warming Potential [CO2 eq] during manufacturing	0.284 kg			
Global Warming Potential [CO2 eq] during operation	4.48 kg			
Global Warming Potential [CO2 eq] after end of life	7.42E-5 kg			
Approvals Certificates				
General Product Approval		other	Environment	







Miscellaneous

Confirmation

EPD Typ II/III (with life cylce assessment)

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB1315

 ${\bf Service \& Support~(Manuals,~Certificates,~Characteristics,~FAQs,...)}$

https://support.industry.siemens.com/cs/ww/en/ps/5UB1315

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB1315

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications



last modified: 11/1/2023 🖸