

PRODUCT-DETAILS

UK650MVB

UK650MVB Multimedia unit , 872 mm x 384 mm x 97 mm, Flush mounting, IP30, Single



General Information

| | |
|-----------------------|--|
| Extended Product Type | UK650MVB |
| Product ID | 2CPX031457R9999 |
| EAN | 4011617314578 |
| Catalog Description | UK650MVB Multimedia unit , 872 mm x 384 mm x 97 mm, Flush mounting, IP30, Single |
| Long Description | Multimedia unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with frame and ventilated door , door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 872 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 872 x 384 x 9, cable fastening rail integrated, assembled with perforated sheet steel mounting plate and DIN rail |

Technical

| | |
|---------------------------------|----------------|
| Standards | DIN 43871 |
| Rated Operational Voltage | Maximum 400 V |
| Operational Voltage | 400 V |
| Rated Current (I _n) | 63 A |
| Power Loss | Δt = 30K 155 W |

| | |
|---|---|
| Number of Miniature Circuit Breakers (MCBs) | " |
| Number of Rows | 5 |
| Closure Type | Push Button |
| Configuration Type | assembled with perforated sheet steel mounting plate and DIN rail |
| Cover Plate Type | Door |
| Enclosure Type | Multimedia unit |
| Mounting Type | Flush mounting |
| Door Type | Single |
| Surface Finishing | Powder-coated |
| Housing Material | Plastic |
| Cover Style | Closed |
| RAL Number | RAL 9016 - Traffic White |
| Color | Traffic white |
| Terminal Type | No Terminals |

Material Compliance

| | |
|---|--|
| RoHS Information | 2CPC100018X0201 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20230918 |
| REACH Declaration | 2CPC100005X0201 |
| REACH Information | False - does not contains substances > 0.1 mass percentage |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Environmental

| | |
|----------------------|---------------------|
| Degree of Protection | IP30 |
| Protection Class | Isolated (Class II) |

Dimensions

| | |
|-------------------------------------|--|
| Width in Number of Modular Spacings | 12 |
| Product Net Width | 384 mm |
| Product Net Height | 872 mm |
| Product Net Depth / Length | 97 mm |
| Product Net Weight | 5.151 kg |
| Built-In Depth (t ₂) | 81 mm |
| Dimension Diagram | 2CPC000001D0201 2CPC000003D0201 2CPC000004D0201 2CPC000007D0201 |

Ordering

| | |
|------------------------------|--------------|
| Package Level 1 Units | pack 1 piece |
| Package Level 1 Gross Weight | 5.357 kg |

Certificates and Declarations

| | |
|-----------------------------------|-----------------|
| Declaration of Conformity - CE | 2CPC100018X0201 |
|-----------------------------------|-----------------|

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 2CPC130102M5601 |
|--------------------------|-----------------|

Popular Downloads

| | |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
|-----------------------------------|--------------------|

Classifications

| | |
|----------------------------|---|
| ETIM 8 | EC000214 - Small distribution board |
| ETIM 9 | EC000214 - Small distribution board |
| WEEE Category | 4. Large Equipment (Any External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85381000 |
| eClass | V11.0 : 27142409 |
| Object Classification Code | U |

Categories

Low Voltage Products and Systems → Enclosures → Consumer Units → Consumer Units → UK600

