

PRODUCT DATASHEET

ENDURA STYLE Ellipse 900 13 W DG

ENDURA® STYLE ELLIPSE | Decorative and very bright luminaires



Areas of application

- Outdoor use (IP44)
- Gardens, balconies and other outdoor areas
- Building facades
- Pathway lighting
- Driveways

Product benefits

- Energy-efficient thanks to LED technology
- Easy and quick installation

Product features

- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available as wall and bollard luminaires



TECHNICAL DATA

Electrical data

Nominal wattage	12.50 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Nominal current	103 mA
Power factor λ	> 0,5
Mains frequency	50...60 Hz


Photometrical data

Color temperature	3000 K
Luminous flux	890 lm
Luminous efficacy	71 lm/W
Light color (designation)	Warm White
Standard deviation of color matching	≤ 6 sdc _m
Color rendering index Ra	> 80

Light technical data

Beam angle	122 °
------------	-------

Dimensions & weight



Length	75.00 mm
Height	900.00 mm
Width	186.00 mm
Product weight	3500.00 g



Colors & materials

Body material	Aluminum
Product color	Dark gray
Housing color	Dark gray
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Number of switching cycles	15000
----------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE / EAC / REACH / RoHS


LOGISTICAL DATA

Temperature range at storage	-20...+85 °C
------------------------------	--------------

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

DOWNLOAD DATA

DOWNLOAD DATA	
	User instruction ENDURA STYLE ELLIPSE

DOWNLOAD DATA



Tender documents
Tender Text 4058075205116



Packaging insert
Legal insert C Outdoor - Not dimmable

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205116	Folding box 1	84 mm x 194 mm x 921 mm	3670.00 g	15.01 dm ³
4058075205123	Shipping box 2	205 mm x 185 mm x 940 mm	7710.00 g	35.65 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

