

Product datasheet

Specifications



Thorsman 3 in 1 LED Detector

IMT23105

Main

Range	Thorsman
Product Or Component Type	Detector
Supply	battery 9 V 6F22

Complementary

Display Type	LED indicator
Type Of Setting	Manual
Local Signalling	object detection by spotlight Top edge of object detection by LED indicator
Maximum Detection Depth	Stud mode: wood stud detection of 30 x 30 mm <18 mm Metal mode: iron pipe detection of 25 mm <30 mm AC mode: <50 mm for 90...250 V at 50...60 Hz
Language	English Swedish Danish Finnish Norwegian
Height	150 mm
Width	66 mm
Depth	32 mm
Product Weight	165 g with battery

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	15.500 cm
Package 1 Length	23.500 cm
Package 1 Weight	231.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	20
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.040 kg

Unit Type Of Package 3	P12
Number Of Units In Package 3	160
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	52.320 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant](#)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
