

Eaton 276288

Catalog Number: 276288

Eaton Moeller series IS Disconnecter. Main switch, 240 V, 125A, 3HP



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Moeller series IS Disconnecter	276288
Model Code	EAN
IS-125/3	4015082762889
Product Length/Depth	Product Height
80 mm	76 mm
Product Width	Product Weight
52.5 mm	0.314 kg
Compliances	Certifications
RoHS conform	EN45545-2 IEC 61373

defaultTaxonomyAttributeLabel

Type

IS. Main load disconnect switch

Application

Switchgear for industrial and advanced commercial applications

Degree of protection

IP40

Equipment heat dissipation, current-dependent

16.5 W

Imprint/indication

Symbol "arrows"

Lamp socket

Other

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Built-in depth

69.5 mm

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

6.2 W

Lamp power

0 W

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

3

Amperage rating

125 A

Color calotte

Other

Switch type

Other

Rated short-time withstand current (Icw)

Resources

Certification reports

DA-DC-03_IS

Drawings

eaton-dimensions-mas-is.jpg

1221172

Wiring diagrams

IS_3P

2 kA

Voltage type

AC

Lamp type

Other

Number of contacts (normally open contacts)

3

Rated operational current for specified heat dissipation (In)

125 A

Rated operational voltage (Ue) - max

415 V

Rated switching capacity

10 kA

Static heat dissipation, non-current-dependent

0 W

Voltage rating - min

240 V

Width in number of modular spacings

3

Number of poles

Three-pole



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)