



 PRODUCT-DETAILS

62711-WL-500

Flush Mounted Inserts for Control of electrical users free@home wireless with Orientation light



General Information

Extended Product Type	62711-WL-500
Product ID	2CKA006200A0281
EAN	4011395296370
Catalog Description	Flush Mounted Inserts for Control of electrical users free@home wireless with Orientation light
Long Description	<p>Tapping control element, 1gang. For the manual and automatic control of roller blinds, blinds, awnings, lighting and electric loads. Compatible with all free@home flex inserts. Remote operation via the Bluetooth and smartphone/tablet app. Programming via Bluetooth with the ABB-free@home® app or via the web interface of the System Access Point. Timer with Astro function. For 1gang rocker 6230-10x-xxx, 6231-10x-xxx, 6232-10x-xxx, 6233-10x-xxx and 6234-10x-xxx. (Not included in the delivery).</p> <p>For relay insert flex, 1gang, 64811 U. For series relay insert flex, 2gang, 64821 U. For e-contact insert flex, 1gang, 64814 U. For LED touch dimmer insert flex, 1gang, 64851 U. For extension insert flex, 64891 U. For blind insert flex, 1gang, 64831 U.</p>

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Mounting Type	Flush Mounted
---------------	---------------

Environmental

Degree of Protection	IP20
----------------------	------

Technical

Data Sheet, Technical Information	No document needed
Application	Control of electrical users
Compatible Bus Systems	free@home wireless
Product Range	free@home flexTronics
Connection Type	Wireless
Lamp Type	Orientation light

Design

Design Range	Platform 63 Busch-balance SI Reflex SI Busch-Duro 2000 SI Busch-art linear future linear Busch-axcent Pure Stainless Steel solo carat Busch-Dynasty
Design Range Variant	Busch-Duro 2000 SI Busch-Duro 2000 SI Linear Reflex SI Reflex SI Linear Busch-art linear Busch-art linear - with Decor Ring Busch-art linear - pur future future linear Busch-axcent Busch-axcent pur
Color	black

Dimensions

Product Net Width	54 mm
Product Net Height	54 mm
Product Net Depth / Length	23.7 mm
Product Net Weight	21.5 g

Ordering

Replaced Product ID (OLD)	2CKA006200A0079
---------------------------	-----------------

Eco Transparency

Environmental Product Declaration - EPD	9AKK108469A6115
---	-----------------

Material Compliance

RoHS Information	2CKA200000E7487
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230825
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E4354
--------------------------------	-----------------

Classifications

ETIM 9	EC000205 - Intelligent control element
eClass	V11.0 : 27144002
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → User Operation → Control Elements → 1-/4-fold

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

