ABB

—
PRODUCT-DETAILS

AS8.3

AS8.3 Interconnector

General Information

Extended Product Type	AS8.3
Product ID	2TKA00003691
EAN	6438199005133
Catalog Description	AS8.3 Interconnector
Long Description	Interconnector AS8.3 is used when low-voltage or strong-current circuit box groups are installed under different cover plates. With interconnector AS8.3 the distance between box centers are either 85 mm or 100 mm depending on installation. Additionally, AS8.3 can be used as a inlet for 20 mm flexible conduit with AU80 -range boxes. Made of halogen free material (IEC/61249-2-21).

Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Dimensions

Product Net Width	0.034 m
Product Net Height	0.018 m
Product Net Depth / Length	0.034 m
Product Net Weight	0.01 kg

Ordering

Package Level 1 Units	bag 50 piece
Package Level 1 Gross Weight	0.557 kg
E-Number (Norway)	1220002

Certificates and Declarations

Declaration of Conformity - CE	9AKK108467A7115

Installation

Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed

Classifications

ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope
CN8	39259080

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Other Accessories

2024/09/13