




---

 PRODUCT-DETAILS

# AN8.4

## AN8.4 Inlet




---

**General Information**

Extended Product Type	AN8.4
Product ID	2TKA00003692
EAN	6438199005140
Catalog Description	AN8.4 Inlet
Long Description	<p>Quadruple inlet for AU80 -range installation boxes, with locking device for flexible conduit. Can be used with two Ø16 mm and with additional two Ø16/20mm flexipipe (20mm inlets are equipped with reducer to Ø16 mm and with plugs). To be installed to the side of the installation box where there are two Ø20 mm knock-outs. IP rating IP3X. Made of halogen free material (IEC/61249-2-21).</p>

---

**Material Compliance**

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals	9AKK108468A3363

Reporting Template  
(CMRT)**Dimensions**

Product Net Width	0.065 m
Product Net Height	0.07 m
Product Net Depth / Length	0.065 m
Product Net Weight	0.0226 kg

**Ordering**

Package Level 1 Units	bag 20 piece
Package Level 1 Gross Weight	0.47 kg
E-Number (Norway)	1220003

**Certificates and Declarations**

Declaration of Conformity - CE	9AKK108467A7115 9AKK108468A1342
--------------------------------	------------------------------------

**Installation**

Instructions and Manuals	No document needed
--------------------------	--------------------

**Popular Downloads**

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

**Classifications**

ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope
CN8	39174000

---

## Categories

---

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Inlets

