


# Product data sheet

Specifications



## Fiber filter for Side Connected Cooling Unit, Climasys CU, 0,8 - 1kW

NSYCUACC002DG

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 109.03 USD

### Main

Range	ClimaSys
Product name	ClimaSys CU
Product or Component Type	Filter
Range compatibility	ClimaSys Climasys CU cooling unit
Accessory / separate part category	Thermal management accessory

### Complementary

Type of ventilation filter	G3 EN 779
Mounting Location	Side
Product destination	Side-mounting cooling unit 875 W Side-mounting cooling unit 1000 W
Accessory / separate part destination	ClimaSys cooling unit
Quantity per Set	Set of 5
Material	Polyolefin
Net Weight	0.04 lb(US) (0.02 kg)
Width	12.6 in (320 mm)
Height	12.6 in (320 mm)
Thickness	0.2 in (5 mm)

### Environment

Flame retardance	K1/F1 conforming to DIN 53 438
------------------	--------------------------------

### Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606486379257
Returnability	No
Country of origin	ES

### Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications


Number of Units in Package 1	1
Package 1 Height	0.39 in (1.000 cm)
Package 1 Width	13.98 in (35.500 cm)
Package 1 Length	13.98 in (35.500 cm)
Package 1 Weight	1.764 oz (50.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	1.97 in (5.000 cm)
Package 2 Width	13.98 in (35.500 cm)
Package 2 Length	13.98 in (35.500 cm)
Package 2 Weight	8.959 oz (254.000 g)
Unit Type of Package 3	PAL
Number of Units in Package 3	50
Package 3 Height	11.42 in (29.000 cm)
Package 3 Width	17.72 in (45.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	5.600 lb(US) (2.540 kg)

# Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you](#) >

## Use Better


 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>

## Use Again

 <b>Repack and remanufacture</b>	
Take-back	No

Technical Illustration

Wiring diagram



Offer Marketing Illustration

Product benefits / Features

---

The infographic features a central image of three Schneider Electric NSYCUACC002DG cooling units in different sizes. Surrounding this central image are six circular icons, each with a corresponding text description of a product benefit or feature.

- Connected with alarming and setting data**: Represented by an icon of a speaker and signal waves.
- Easy selection with 40 references IEC & UL**: Represented by an icon of a 2x2 grid with checkmarks.
- 3 redundant modes for critical application**: Represented by an icon of a server rack with three arrows pointing to different sections.
- Recycled packaging, good energy efficiency ratio**: Represented by an icon of a recycling symbol and a leaf.
- 30% Smaller and lighter Cooling Units**: Represented by an icon of a square with a diagonal line and a smaller square.
- Easy mounting with 3 positions, easy spare parts replacement**: Represented by an icon of a clock with a checkmark.

Image of product / Alternate images

Alternative

---

