




---

 PRODUCT-DETAILS

# MP1-10C

## MP1-10C Pushbutton




---

### General Information

Extended Product Type	MP1-10C
Product ID	1SFA611100R1008
EAN	7320500261033
Catalog Description	MP1-10C Pushbutton

Long Description	<p>The MP1-10C Pushbutton is: Momentary - Flush - Clear - Non-illuminated - Black Plastic - No contact block</p> <p>This Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p>
------------------	---

---

### Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536508090

---

### Popular Downloads

Data Sheet, Technical Information	1SFC151007C02__
Instructions and Manuals	1SFC151011M0201
Marketing Video	1SFC151037V0001

**Dimensions**

Product Net Width	0.029 m
Product Net Height	0.029 m
Product Net Depth / Length	0.033 m
Product Net Weight	0.011 kg

**Technical**

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Color	Clear
Actuator Type	Flush
Bezel Material	Black Plastic
Illumination	Non-illuminated
Function	Momentary
Enclosure Type NEMA	Type1 Type12 Type13 Type3R Type4 Type4X
Mechanical Durability	2 million

**Environmental**

Degree of Protection	Front IP66
----------------------	------------

**Material Compliance**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
RoHS Information	2CMT2022-006498
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006523
WEEE Category	Product Not in WEEE Scope

**Certificates and Declarations**

cULus Certificate	9AKK107046A9925
Declaration of Conformity - CE	2CMT2015-005452
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL Certificate	E-14107

**Container Information**

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.135 m
Package Level 1 Depth / Length	0.145 m
Package Level 1 Height	0.035 m
Package Level 1 Gross Weight	0.014 kg
Package Level 1 EAN	7320500261033

### External Classifications and Standards

Object Classification Code	S
ETIM 6	EC000221 - Front element for push button
ETIM 7	EC000221 - Front element for push button
ETIM 8	EC000221 - Front element for push button
eClass	V11.0 : 27371210
UNSPSC	39122216
IDEA Granular Category Code (IGCC)	5212 >> Push button for distribution board
E-Number (Finland)	2313612
E-Number (Norway)	4372008
E-Number (Sweden)	3715007

### Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → MP Pushbutton  
 Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)



