

**KNX**  
**HVAC controller**

**Description**

- Fan coil actuator
- For controlling fan coils
- For 2 and 4 pipe systems
- For up to three fan stages
- Optionally with 0-10 V fan control
- For proportional 0-10 V valves
- Additional relay for electrical heater or cooler bank
- Potential-free input for window contacts or temperature sensor
- Potential-free, condensation monitoring
- Display of operation status via 9 LEDs
- Manual operation on device (fan stages, switching between heating and cooling)
- Adjustment of setpoint value for cooling in relation to external temperature
- Potential-free switching contact for either cooler or heater bank
- With emergency program



**Technical data**

FCA 2 KNX	
Operating voltage KNX	Bus voltage, ≤8 mA
Operating voltage	100 V AC - 240 V AC, 50 Hz - 60 Hz
Frequency	50 - 60 Hz
Width	4 modules
Installation type	DIN rail
Type of contact	NO contact


FCA 2 KNX	
Switching capacity additional relay	16 A
Switching capacity blower relay	6 A
Ambient temperature	-5°C ... 45°C
Type of protection	IP 20
Protection class	II according to EN 60 730-1

Subject to technical changes and misprints


additional information at: [www.theben.de/product/4920210](http://www.theben.de/product/4920210)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

Connection example



Scale drawings



# FCA 2 KNX

Item no.: 4920210



## Accessories

---

Temperature sensor  
Item no.: 9070321

