

# theRonda P360 Slave UP WH

Item no.: 2080030

**theben**

Presence and motion detectors  
Ceiling installation indoor

## Description

---

- Passive infra-red presence detector for flush-mounted ceiling installation
- Circular detection area 360°, up to Ø 24 m (452 m<sup>2</sup>) at mounting height 3 m
- Slave version for theRonda master presence detectors
- Test mode for checking function and detection area
- Extension of detection area via Master/Slave or Master/Master switching, a maximum of 10 detectors can be switched in parallel with each other
- Ceiling installation in flush-mounted socket
- Ceiling installation also possible with surface-mounted frame
- Remote control theSenda P, management remote control theSenda B (optional)



Subject to technical changes and misprints

additional information at: [www.theben.de/product/2080030](http://www.theben.de/product/2080030)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# theRonda P360 Slave UP WH

Item no.: 2080030




## Technical data

theRonda P360 Slave UP WH	
Operating voltage	110 V AC - 230 V AC
Frequency	50 - 60 Hz
Installation height	2 - 10 m
Maximum height	15 m
Minimum height	1.7 m
Installation type	Ceiling installation, Indoor, Flush-mounted
Colour	White
Switching output	Slave
Power consumption	~0.15 W
Light measurement	Mixed light measurement

theRonda P360 Slave UP WH	
Lamp types	Incandescent/halogen lamps, fluorescent lamps, Energy saving lamps, LEDs
Type of connection	Screw terminals
Max. cable cross section	max. 2 x 2,5 mm <sup>2</sup>
Size of concealed housing	55 mm
Detection range	452 m <sup>2</sup> (ø 24 m   360°)
Detection angle	360°
Ambient temperature	-15°C ... 50°C
Type of protection	IP 54 (when fitted)

## Connection example



## Detection range for planning applications at a temperature of 21 °C

Mounting height (A)	Sitting (S)	Diagonally (T)	Frontal gehend (R)
2 m	16 m <sup>2</sup>   4.5 m	380 m <sup>2</sup>   22 m	28 m <sup>2</sup>   6 m
2.5 m	24 m <sup>2</sup>   5.5 m	415 m <sup>2</sup>   23 m	38 m <sup>2</sup>   7 m
3 m	28 m <sup>2</sup>   6 m	452 m <sup>2</sup>   24 m	50 m <sup>2</sup>   8 m
3.5 m	38 m <sup>2</sup>   7 m	452 m <sup>2</sup>   24 m	50 m <sup>2</sup>   8 m
6 m		452 m <sup>2</sup>   24 m	50 m <sup>2</sup>   8 m
10 m		491 m <sup>2</sup>   25 m	50 m <sup>2</sup>   8 m

Subject to technical changes and misprints

additional information at: [www.theben.de/product/2080030](http://www.theben.de/product/2080030)


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# theRonda P360 Slave UP WH

Item no.: 2080030

**theben**

Detection range for planning applications at a temperature of 21 °C



Detection range according to Sensnorm IEC 63180

Mounting height (A)	Diagonally (T)	Head on to (R)	Sitting (S)
2.5 m	434 m <sup>2</sup>   23.5 m	55 m <sup>2</sup>   8.4 m	50 m <sup>2</sup>   8 m
10 m	707 m <sup>2</sup>   30 m	79 m <sup>2</sup>   10 m	
15 m	616 m <sup>2</sup>   28 m	141 m <sup>2</sup>   13.4 m	

Subject to technical changes and misprints

additional information at: [www.theben.de/product/2080030](http://www.theben.de/product/2080030)


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# theRonda P360 Slave UP WH

Item no.: 2080030

**theben**

## Scale drawings



## Accessories

**theSenda P**  
Item no.: 9070910



**Surface frame 110A GR**  
Item no.: 9070913



**Ceiling installation box 73A**  
Item no.: 9070917


**Surface frame 110A WH**  
Item no.: 9070912



**Masking clip**  
Item no.: 9070921



**QuickSafe**  
Item no.: 9070531



**theSenda B**  
Item no.: 9070985



**Cover 110 GR**  
Item no.: 9070591



Subject to technical changes and misprints

additional information at: [www.theben.de/product/2080030](http://www.theben.de/product/2080030)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# theRonda P360 Slave UP WH

Item no.: 2080030

**theben**

## Accessories

---

**Ceiling installation box 68A**

Item no.: 9070992



**Surface frame 110A BK**

Item no.: 9070600



**Cover 110 BK**

Item no.: 9070851



Subject to technical changes and misprints

additional information at: [www.theben.de/product/2080030](http://www.theben.de/product/2080030)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.