

Product datasheet

Specifications



Data socket, Merten inserts,
mechanism with fixing frame, 2
RJ45 Cat6A, STP, straight

MEG4576-0022

EAN Code: 4042811175375

Price: 34,05 EUR

Main

Range of product	Merten inserts
Product name	Flush-Mounted Inserts
Product or component type	Data socket
Device presentation	Mechanism with fixing frame
Device mounting	Flush

Complementary

fixing mode	By screws and claws
Connector type	RJ45
Socket number	2
Installation direction	Straight
Socket additional information	Suitable for one connector
Data socket type	RJ45 Cat.6A
Cable shielding type	STP
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	7.600 cm
Package 1 Length	7.700 cm
Package 1 Weight	104.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	19.800 cm
Package 2 Width	30.600 cm
Package 2 Length	40.300 cm
Package 2 Weight	5.512 kg

Contractual warranty

Rates duty January 2016

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.7 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	41
End of life manual availability	End of Life Information
Take-back	Yes

Image of product / Alternate images

Alternative







