

Product datasheet

Specifications



Cover frame, Merten M-Pure, 5 gangs, active white

MEG4050-3625

EAN Code: 4042811181079

Price: 48,45 EUR

Main

Range	Merten
Aesthetic name	M-Pure
Product or component type	Cover frame

Complementary

Number of gangs	5 gangs
Colour tint	Active white (RAL 9016)
Surface finish	Glossy
surface treatment	Antibacterial
Material	Thermoplastic
IP degree of protection	IP20
Height	82.7 mm
Width	367.5 mm
Depth	10.1 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.600 cm
Package 1 Width	9.400 cm
Package 1 Length	37.500 cm
Package 1 Weight	102.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	38
Package 2 Height	20.200 cm
Package 2 Width	30.400 cm
Package 2 Length	40.500 cm
Package 2 Weight	3.966 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Rates duty January 2016

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.8 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Again



Repack and remanufacture

Recyclability potential, in %	50
End of life manual availability	No need of specific recycling operations
Take-back	Yes

Image of product / Alternate images

Alternative







