



ENA33LCD

El. Skaitītājs

ETI kods: **004656910**
Funkcija: **3phase Multimeter, RS485 port integrated, LCD display**
Montāžas veids: **Front mounting**

Produkta tiešsaistes lapa [🔗](#)

Dokumenti



TEHNISKO DATU KATALOGS



LIETOŠANAS INSTRUKCIJA



DEKLARĀCIJA



2D FAILS



3D FAILS



EPLAN FAILS

ETIM

Number of voltage input channels	3
Interface	✓
Power factor	✓
Effective power	✓
Harmonics measurement	✓
Step angle (cos phi)	✓
Indication	Digital
Measured value memory	✓
Power/work	✓
Reactive power	✓
Number of current input channels	3
Apparent power	✓
Voltage measuring range/AC direct(Min)	10 V
Voltage measuring range/AC direct(Max)	300 V

Logistika



Produkts

Svars	0,46 kg
Net width	96,2 mm
Net height	96 mm
Net depth	57,5 mm
Stock unit of measure	pcs


Transporta iepakojums

Transport packaging quantity	1 pcs
EAN code for a transport packaging	3838895837459
Transport packaging weight	0,65 kg
Transport Packaging Dimensions Height	115 mm
Transport Packaging Dimensions Width	195 mm
Transport Packaging Dimensions Depth	165 mm
Transport packaging volume	3,7 dm³
Pallet quantity	270 pcs
Customs tariff	90303100


Dimension




Wiring diagram




Pomiar 1-fazowy



Pomiar 3-fazowy 4-przewodowy



Podłączenie układ sieci s.n.



Pomiar 3-fazowy 3-przewodowy